

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently amended) A method of providing input feedback in a device having a keyboard with a matrix of interstitial key regions and raised independent key regions, the method comprising

scanning the matrix for activated key regions;

upon detection of a first activated key region, providing provisional output as visual feedback to a user indicating that the activated key region has been registered;

continuing to scan the matrix for activation of an adjacent key region prior to release of the first activated key region; and,

in response to activation of the adjacent key region prior to release of the first activated key region, providing a final output to the user to the exclusion of the provisional output.

2. (Original) The method of claim 1 wherein the final output is provided as visual feedback.

3. (Cancelled)

4. (Original) The method of claim 2 wherein the provisional output is also provided as audio feedback.

5. (Original) The method of claim 1 wherein scanning the matrix includes scanning rows and columns.

6. (Original) The method of claim 1 wherein scanning the matrix includes driving two adjacent rows simultaneously, seeking for two simultaneous output columns.

7. (Previously presented) The method of claim 1 wherein continuing to scan the matrix for activation of an adjacent key region includes determining if a diagonally adjacent key region is activated.

8. (Previously presented) The method of claim 1 including looking up a desired combination key in an internal table in response to activation of an adjacent key region prior to release of the first activated key region.

9. (Original) The method of claim 1 wherein providing provisional output includes storing the provisional output as raw data into a register.

10. (Previously Presented) The method of claim 1 wherein the provisional output is provided as feedback and wherein providing the provisional output includes determining the provisional output upon detection of the first activated key region, and then delaying a predetermined amount of time after the provisional output is determined before providing feedback.

11. (Original) The method of claim 10 wherein the provisional output is provided as visual feedback.

12. (Original) The method of claim 10 wherein the predetermined amount of time is approximately 20 milliseconds.

13. (Original) The method of claim 10 wherein the amount of delay time is determined from measured time between key strokes and details of correction.

14. (Previously presented) The method of claim 1 wherein the independent key regions of the keyboard have exposed surfaces elevated above exposed surfaces of interstitial regions of the keyboard between adjacent independent key regions that together form a key combination corresponding to a stored combination key output.

15-57. (Cancelled).

58. (Previously presented) The method of claim 1 wherein the adjacent key region is one of the independent key regions.

59. (Previously presented) The method of claim 1 wherein the final output indicates that a combination of the first and adjacent key regions has been registered.

60. (Previously presented) The method of claim 1 wherein both the first activated and adjacent key regions are elevated above an interstitial key region.

61. (Previously presented) The method of claim 1 wherein only the raised independent key regions have associated switches.

62-66. (Cancelled)

Applicant : David H. Levy et al.
Serial No. : 09/916,928
Filed : July 27, 2001
Page : 5 of 9

Attorney's Docket No.: 13159-004001

67. (Previously presented) The method of claim 1 wherein the first activated and adjacent key regions comprise two raised key regions on either side of an interstitial key region.